



55611–
2013

1 — «

2 371 « » -

3 8 6 2013 . 1028- -

4

1) « 1.0—2012 (8).
(», -
» () « -
» ; « -
- (gost.ru)

1	1
2	1
3	1
	7
	10

，
，
-
.
.
“ ”。
/
，
，
。
(-)。
，
—
，
。

Eddy current non-destructive inspection.
Terms and definitions

— 2015—01—01

1

), (—

2

8

13699—91
15467—79

«)», « 1 »

3

3.1

3.1.1 (eddy current nondestructive testing): -

3.1.2 ; (Eddy current probe): -

3.1.3 (initial electromotive force of eddy current probe): -

3.1.4 : -

- (added electromotive force of eddy current probe): -
- 3.1.5 (added relative electromotive force of eddy current probe): -
- 3.1.6 (added voltage of eddy current probe): -
- 3.1.7 (added resistance of eddy current probe): -
- 3.1.8 (complex plane of eddy current probe): -
- 3.1.9 (hodograph diagram of eddy current probe): -
- 3.1.10 (impedance diagram of eddy current probe): -
- 3.1.11 (eddy current probe signal): -
- 3.1.12 (electromagnetic field penetration depth of eddy current probe): -
- 3.1.13 (generalised parameter of eddy current testing): -
- 3.1.14 (locality of eddy current testing): -
- 3.1.15 (exciting current of eddy current probe): -
- 3.1.16 (exciting current frequency of eddy current probe): -

$$R = \frac{1}{4\pi \times 10^{-7}} \frac{2\pi f \mu_0 \rho_c}{\dots}$$

- 3.1.17 « - » (signal-to-noise ratio of eddy current probe): *
- 3.1.18 (test parameter of eddy current testing):
- 3.1.19 (stray parameter of eddy current testing):
- 3.1.20 (sensitivity to test parameter at eddy current testing): -
- 3.1.21 (suppression at eddy current testing):
- 3.1.22 (suppression direction at eddy current testing):
- 3.2
- 3.2.1 (amplitude method of eddy current non-destructive testing): -
- 3.2.2 (phase method of eddy current non-destructive testing): -
- 3.2.3 (amplitude-phase method of eddy current nondestructive testing): -
- 3.2.4 (frequency method of eddy current non-destructive testing): (fre- -
- 3.2.5 (multifrequency method of eddy current nondestructive testing): -
- 3.2.6 (variable-frequency method of eddy current nondestructive testing): -
- 3.2.7 (pulse method of eddy current nondestructive testing): () -
- 3.2.8 (absolute method of eddy current non-destructive testing): (ab- -
- 3.2.9 (modulation method of eddy current non destructive testing): -

- 3.2.10 (differential method of eddy current non-destructive testing): ; -
 - 3.2.11 (spectral method of eddy current non-destructive testing): : -
 - 3.3
 - 3.3.1 (drive winding of eddy): : (drive -
 - 3.3.2 (measuring winding of eddy current probe): , -
 - 3.3.3 (compensating winding of eddy current probe): ; -
 - 3.3.4 (eddy current probe lift-off): : (eddy current probe lift-off): -
 - 3.3.5 (design lift-off of eddy current probe): ; (design -
 - 3.3.6 (equivalent turn of eddy current probe winding)' : -
- $$0_{\dots} = () + /6\epsilon^{\wedge}.$$
- $$= + D,$$
- Dtp.* ; ;
- 3.3.7 (signal compensator of eddy current probe): , (signal compensator -
 - 3.3.8 (protection unit of eddy current probe): , -
 - 3.3.9 (surface eddy current probe): (surface eddy current probe): -
 - 3.3. (0 ~ (screening eddy current probe): -
 - 3.3. (encircling eddy current probe): -

3.3.12 (encircling external eddy current probe): *

3.3.13 (encircling internal eddy current probe):

3.3.14 encircling eddy current probe): , i) (fill factor of

$$5 = S n_0 S \Lambda_0$$

$$\% \frac{S}{S_0} S \Lambda_0$$

$$S \Lambda_0 \frac{S}{S_0}$$

3.3.15 (composite eddy current probe):

3.3.16 (parametric eddy current probe): -

3.3.17 () -

3.3.16 (absolute eddy current probe): -

3.3.19 (differential eddy current probe):

3.3.20 (base of differential eddy current probe): -

3.3.21 (relative base of differential eddy current probe): -

3.3.22 -

3.3.23 (multiple-unit eddy current probe): -

3.3.24 (compensating voltage of eddy current probe):

3.3.25 probe):	(reference voltage of eddy current	,	-
3.3.26	(eddy current thickness gauge):	.	- *
3.3.27	(eddy current structuroscope):	,	-
3.3.28	(eddy current flaw detector):	,	-
3.3.29 rent flaw detector): - » 2.	(sensitivity threshold of eddy cur-	,	« -
3.3.30	(end effect at eddy current testing):	-	-
3.3.31	(lift-off effect at eddy current testing):	-	-
3.3.32	(velocity effect at eddy current testing):	-	-

.....3.3.18

.....3.2.8

.....3.2.8

-3.2.3

-3.2.3

.....3.2.1

.....3.2.1

.....3.3.20

.....3.3.8

.....3.3.28

.....3.1.1

.....3.1.2

.....3.3.27

.....3.3.26

.....3.1.4

.....3.1.4

.....3.1.6

.....3.1.7

.....3.3.13

.....3.1.12

.....3.1.12

.....3.1.9

.....3.1.10

.....3.3.19

.....3.2.10

.....3.2.10

.....3.3.4

.....3.3.4

.....3.3.2

.....3.3.2

.....3.2.7

.....3.2.7

.....3.3.15

.....3.3.7

.....3.3.7

.....3.3.3

.....	.3.3.3
	3.3.24
.....	.3.1.8
.....	.3.3.5
.....	.3.3.5
	3.1.18
.....	3.3.14
.....	3.3.30
.....	3.1.14
.....	3.1.18
.....	.3.2.5
.....	.3.2.5
.....	3.3.23
.....	.3.2.9
.....	.3.2.9
.....	.3.3.9
.....	3.1.22
.....	3.3.12
.....	.3.1.3
.....	.3.1.3
.....	.3.3.1
.....	.3.3.1
.....	3.1.13
.....	3.1.13
.....	3.3.22
.....	3.3.25
.....	3.3.21
.....	.3.1.5
« - »	3.1.17
.....	3.1.21
.....	3.3.16
-3.2.6
-3.2.6
.....	3.3.29
.....	.3.1.2
.....	3.3.11
.....	3.1.11

..... 3.3.32

3.2.11..... 3.2.11

..... 3.2.11

..... 3.1.15

..... 3.3.17

..... 3.2.2

..... 3.2.2

..... 3.1.16

..... 3.2.4

..... 3.2.4

..... 3.1.20

..... 3.3.6

..... 3.3.6

..... 3.3.10

..... 3.3.31

Absolute eddy current probe.....	3.3.18
Absolute method of eddy current nondestructive testing.....	3.3.8
Added electromotive force of eddy current probe.....	3.1.4
Added relative electromotive force of eddy current probe.....	3.1.5
Added resistance of eddy current probe.....	3.1.7
Added voltage of eddy current probe.....	3.1.8
Amplitude method of eddy current nondestructive testing.....	3.2.1
Amplitude-phase method of eddy current nondestructive testing.....	3.2.3
Base of differential eddy current probe.....	3.3.20
Compensating voltage of eddy current probe.....	3.3.24
Compensating winding of eddy current probe.....	3.3.3
Complex plane of eddy current probe.....	3.1.8
Composite eddy current probe.....	3.3.15
Design lift-off of eddy current probe.....	3.3.5
Differential eddy current probe.....	3.3.19
Differential method of eddy current nondestructive testing.....	3.2.10
Drive winding of eddy.....	3.3.1
Eddy current flaw detector.....	3.3.28
Eddy current nondestructive testing.....	3.1.1
Eddy current probe.....	3.1.2
Eddy current probe lift-off.....	3.3.4
Eddy current probe signal.....	3.1.11
Eddy current structuroscope.....	3.3.27
Eddy current thickness gauge.....	3.3.26
Electromagnetic field penetration depth of eddy current probe.....	3.1.12
Encircling eddy current probe.....	3.3.11
Encircling external eddy current probe.....	3.3.12
Encircling internal eddy current probe.....	3.3.13
End effect at eddy current testing.....	3.3.30
Equivalent turn of eddy current probe winding.....	3.3.6
Exciting current frequency of eddy current probe.....	3.1.16
Exciting current of eddy current probe.....	3.1.15
Fill factor of encircling eddy current probe.....	3.3.14
Frequency method of eddy current nondestructive testing.....	3.2.4
Generalised parameter of eddy current testing.....	3.1.13
Hodograph diagram of eddy current probe.....	3.1.9

Impedance diagram of eddy current probe.....	3.1.10
Initial electromotive force of eddy current probe.....	3.1.3
Lift-off effect at eddy current testing.....	3.3.31
Locality of eddy current testing.....	3.1.14
Measuring winding of eddy current probe.....	3.3.2
Modulation method of eddy current nondestructive testing.....	3.2.9
Multifrequency method of eddy current nondestructive testing.....	3.2.5
Multiple-unit eddy current probe.....	3.3.23
Parametric eddy current probe.....	3.3.16
Phase method of eddy current nondestructive testing.....	3.2.2
Protection unit of eddy current probe.....	3.3.8
Pulse method of eddy current nondestructive testing.....	3.2.7
Reference voltage of eddy current probe.....	3.3.25
Relative base of differential eddy current probe.....	3.3.21
Screening eddy current probe.....	3.3.10
Sensitivity threshold of eddy current flaw detector.....	3.3.29
Sensitivity to test parameter at eddy current testing.....	3.1.20
Signal compensator of eddy current probe.....	3.3.7
Signal — to — noise ratio of eddy current probe.....	3.1.17
Spectral method of eddy current nondestructive testing.....	3.2.11
Stray parameter of eddy current testing.....	3.1.19
Suppression at eddy current testing.....	3.1.21
Suppression direction at eddy current testing.....	3.1.22
Surface eddy current probe.....	3.3.9
Test parameter of eddy current testing.....	3.1.18
Variable-frequency method of eddy current nondestructive testing.....	3.2.6
Velocity effect at eddy current testing	3.3.32

55611—2013

620.179.1:006.354

01.040.19:19.100

:

,

,

,

,

02.10.2014.

60x84

. . . 1.86.

62

. . 4128

,

«

»,

123995

.. 4.

www.gostinfo.ru

info@gostinfo.ru