



55680_
2013



2015

- 1 - «8»
- 2 371 «»
- 3 28 2013 . 1285-
- 4
- 5 , 2-2015

1) « 1.0—2012 (8).
» () « » -
» () « » -
» . -
(*gost.ru*)

	Wiredglass. Specifications	Non-destructive testing. Ferrosonde method

(14 *Hi 2 2015* .)

Non-destructive testing. Ferro sonde method

— 2015—07—01

1

(—) , -
 , , -

2

12.2.007.0-75 . .

12.2.007.14-75 . .

12.1.010-2009 . .

« » , « 1 » , -
 , , -
 () , -
 , , , , , -

3

3.1 : :

3.2 : -

3.3 :
, 1.0) 50 % (() 0.5 -

3.4 : -

3.5 : -

3.6

3.7

4

4.1

4.2

4.3

4.4

4.5

4.6

4.7

1.

1

	{ }		
			-
	0.1 .01 0.5	0.2 .02 1.0	
			10,0 - 5.0
	0.3 0.3 .03 0.5	0.5 .05 1.0 » 0.5 »1.0	

1

2

15.

4.8

4.9

24450.

2.

5

5.1

-
-
-
-

5.2

-
-

5.3

5.4

5.5

5.6

5.7

6

6.1

-
-
-
-
-

6.2

6.3

6.4

6.5

6.6

6.7

6.8

(>1280 /)

6.8



()

(>0.53).

() .



2.

$-tr^1 \quad \quad \quad \wedge 1$






()

МЗТVМТОМ



2

()



6.9

6.10

6.11

6.12

6.13

6.14

6.15

6.16

()

7

7.1

7.2

[1] - (3).

7.3

— [4].

— — . 12.2.007.0. 12.2.007.14, 12.1.019
()

()

« » -21
- .1-2 -0,1-2
-10

·
, ·

()

(. 1 . .) :

$$H = \frac{I}{\pi d};$$

$$2nr\{rj - ,^2\} ,$$

*

$$2b$$

1- ;
 (1- , :
 - , ;
 2- , ;
 6- , .

- [1] » . 2003 .
- [2] « ** . 2003 .
- [3] « *». .
1984
- [4] 23*05-95 « » . 1995 .

55680—2013

531.717.5:006.354

17.020

51

, : , , , , ,

02.02.2015.

60 841/ .

. . . 1.40.

31 . . 649

123995
www.gostinfo.ru

« »
.. 4.
info@gostinfo.ru